



**CROWNED SECTION**



**VALLEY GUTTER SECTION**



**P.C.C. VALLEY GUTTER DETAIL**

**NOTES:**

1.  $W = T + SH$ , PER STANDARD PLAN S-18A.
2. SIDEWALKS MAY BE DELETED IF AN APPROVED COMPREHENSIVE ONSITE PEDESTRIAN SYSTEM IS PROVIDED.
3. MINIMUM THICKNESS GIVEN. AN INCREASED THICKNESS WILL BE REQUIRED DEPENDING ON TRAFFIC INDEX AND SOIL R VALUE.
4. ROLLED CURB AND GUTTER MAY BE INSTALLED AS AN ALTERNATIVE TO VERTICAL CURB.
5. P.C.C. VALLEY GUTTER NOT REQUIRED WHEN LONGITUDINAL SLOPE OF STREET IS 1% OR GREATER.
6. A VALLEY GUTTER SECTION SHALL NOT BE USED ON STREETS SERVING 26 OR MORE LOTS.

REVISION	BY	DATE	APP. BY COUNCIL

**CITY OF CHICO**

**STANDARD PLAN**

DRAWN BY: GL DATE: 1/05  
 CHECKED BY: MJ SCALE: NONE  
 APPROVED: [Signature]  
 DIRECTOR OF ENGINEERING

**TYPICAL CROSS-SECTION  
PRIVATE STREETS**

NO.  
**S-18F**

SHEET 1 OF 1