



NOTES:

- ① REMOTE CONTROL VALVE, HARDIE 700 OMR-100 OR RAINBIRD PEB PRS-B. ADD NETAFIM TECH FILTER DOWNSTREAM OF VALVE IN VALVE BOX.
- ② SCHEDULE 40 PVC SUPPLY HEADER.
- ③ SCHEDULE 40 PVC COMPRESSION TEE S x S x C, SEE DETAIL.
- ④ DRIPLINE TUBING LATERAL NETAFIM OR EQUAL.
- ⑤ AREA PERIMETER (SEE PLANS).
- ⑥ VACUUM RELIEF VALVE PLUMBED TO DRIPLINE AT HIGH POINT OF SYSTEM, LOCATED ON PLANS.
- ⑦ AIR RELIEF LATERAL BLANK DRIPLINE TUBING.
- ⑧ PVC EXHAUST HEADER.
- ⑨ PERIMETER LATERALS FROM EDGE (DISTANCE PER SPECS).
- ⑩ LINE FLUSHING VALVE PLUMBED TO PVC.
- ⑪ DISTANCES PER SPECS.

PLAN VIEW

REVISION	BY	DATE	APP. BY COUNCIL

CITY OF CHICO

STANDARD PLAN

DRAWN BY: GL DATE: 11/06
 CHECKED BY: DB SCALE: NONE
 APPROVED: [Signature]
 DIRECTOR OF ENGINEERING

**SUBTERRANEAN
DRIPLINE LAYOUT**

NO.
LS-20

SHEET 1 OF 1