TABLE 155.2421.B.1: ALLOWABLE ADMINISTRATIVE ADJUSTMENTS					
STANDARD MAXIMUM ALLOWABLE EXTENT OF ADJUSTMENT					
	MINOR ADMINISTRATIVE ADJUSTMENT (ALL ZONING DISTRICTS)		MAJOR ADMINISTRATIVE ADJUSTMENT (AOD, TO,		
	DEVELOPMENT WITHIN ATLANTIC BOULEVARD OVERLAY DISTRICT OR REDEVELOPMENT OF BROWNFIELD SITE WITHIN DESIGNATED BROWNFIELD AREA	OTHER DEVELOPMENT	CRAO, AND NON- RESIDENTIAL DISTRICTS)		
Minimum yard setback or minimum lot width	30%	20%	40%		
Maximum lot coverage	n/a	20%	40%		
Minimum pervious area of lot or minimum pervious area of required front yard	30%	20%	40%		
Maximum yard encroachment	30%	20%	40%		
TO: Maximum block length and perimeter	N/A	N/A	10%		
TO: Front property line access: I per 250 feet	10%	10%	15%		
TO: Minimum lot depth and width	N/A	N/A	10%		
TO: Floor plat size above 5th floor	10%	10%	15%		
TO: Ground floor active use liner minimum depth (20-feet)	10%	10%	20%		
TO: Maximum building length of 300-feet	10%	10%	20%		
TO: Active use required on secondary streets in the core and center	10%	10%	20%		
TO: Active use required on tertiary streets in the core and center	20%	20%	30%		
TO/EOD: Minimum open space size of 4,800 SF (not applicable to density bonus provision)	N/A	N/A	20%		
Minimum stacking lane distance	20%	10%	30%		
Minimum or maximum number of off-street parking or loading spaces	20%	10%	40%		

TABLE 155.2421.B.1: ALLOWABLE ADMINISTRATIVE ADJUSTMENTS					
STANDARD	MAXIMUM ALLOWABLE EXTENT OF ADJUSTMENT				
	MINOR ADMINISTRATIVE ADJUSTMENT (ALL ZONING DISTRICTS)		MAJOR ADMINISTRATIVE ADJUSTMENT (AOD, TO,		
	DEVELOPMENT WITHIN ATLANTIC BOULEVARD OVERLAY DISTRICT OR REDEVELOPMENT OF BROWNFIELD SITE WITHIN DESIGNATED BROWNFIELD AREA	OTHER DEVELOPMENT	CRAO, AND NON- RESIDENTIAL DISTRICTS)		
Maximum percentage of shared or valet or tandem off-street parking spaces	20%	10%	30%		
Minimum walking distance between shared or off-site parking spaces and pedestrian entrances of buildings they serve	20%	10%	30%		
Minimum number of off-street bicycle spaces	20%	10%	30%		
Minimum height of vegetation at planting	20%	10%	30%		
Minimum number of site landscaping plantings	20%	10%	30%		
Minimum vehicular use area perimeter landscaping strip width, plant height, or plant spacing	20%	10%	30%		
Minimum vehicular use area landscaped median width	20%	10%	30%		
Minimum landscaping area width between vehicular use areas and buildings	20%	10%	30%		
Minimum spacing of building base shrubs	20%	10%	30%		
Minimum perimeter buffer width or planting rate	20%	10%	30%		
Minimum street tree planting rate or spacing	20%	10%	30%		
Minimum screening height	l ft	l ft	3 ft		
Maximum fence or wall height	l ft	l ft	3 ft		

	8				
TABLE 155.2421.B.1: ALLOWABLE ADMINISTRATIVE ADJUSTMENTS					
STANDARD	MAXIMUM ALLOWABLE EXTENT OF ADJUSTMENT				
	MINOR ADMINISTRATIVE ADJUSTMENT (ALL ZONING DISTRICTS)		MAJOR ADMINISTRATIVE ADJUSTMENT (AOD, TO,		
	DEVELOPMENT WITHIN ATLANTIC BOULEVARD OVERLAY DISTRICT OR REDEVELOPMENT OF BROWNFIELD SITE WITHIN DESIGNATED BROWNFIELD AREA	OTHER DEVELOPMENT	CRAO, AND NON- RESIDENTIAL DISTRICTS)		
Maximum lighting height	10%	5%	20%		
Minimum or maximum illumination level	10%	5%	20%		
Maximum multifamily building size	10%	5%	20%		
Maximum percentage of street frontage occupied by off-street parking beside a building	10%	5%	20%		
Maximum percentage of large retail establishment off-street parking located between building and street it faces	10%	5%	20%		