



**NOTES**

1. SUBGRADE COMPACTION UNDER PAVEMENT AREA PER SECTION 203 OF O.D.O.T. SPECIFICATIONS DATED 1-1-77.
2. A GRANULAR BASE COURSE UNDER THE CONCRETE PAVEMENT MAY BE REQUIRED BY EXISTING SOIL AND/OR DRAINAGE CONDITIONS. WHERE SUBBASE MATERIAL IS SHOWN ON PROJECT PLANS OR REQUIRED BY FIELD CONDITIONS, IT SHALL MEET THE REQUIREMENTS OF O.D.O.T. ITEM 310.
3. 8" PORTLAND CEMENT CONCRETE PER O.D.O.T. ITEM 482 DATED 1-1-77 (EXCEPT THAT PAVEMENT JOINTS SHALL BE PER CITY STANDARDS FOR LOCATION AND DETAIL).
4. FOR ROLLED CURB DETAIL SEE SHEET NO. 1-102.

8E

CITY OF ELYRIA, OHIO ENGINEERING DEPARTMENT	
STANDARD CONCRETE PAVEMENT DETAILS - MINOR COLLECTOR STREET	
DR. BY <u>L.V.M.</u>	DATE <u>11-3-77</u>
CK. BY _____	DATE _____
BY _____	DATE <u>11-3-77</u>
REVISIONS	APPROVED CITY ENGINEER

DRAWING  
1-105