§ 14-205. Charts.⁷¹

| Denotes use not permitted, building type not permitted or zoning requirements not applicable | | | | | | |
|--|------------------------------------|-------|--------------------------------|-----------------------------------|------------------------|--|
| DISTRICT | R-1 | R-1A | R-2 | R-3 | R-4 | |
| PERMITTED USES | | | - | | | |
| SINGLE FAMILY | Y | Y | Y | Y | Y | |
| DUPLEX / TWO FAMILY | | | | | | |
| MULTI-FAMILY | | | | | | |
| RESIDENTIAL RELATED USES | | | | Y | Y | |
| NON-RESIDENTIAL USES | | | | Y | Y | |
| OTHER PERMITTED USES | Y | Y | Y | | | |
| PERMITTED BUILDING TYPE | | - | - | | | |
| DETACHED | Y | Y | Y | Y | Y | |
| SEMI-DETACHED | | | | Y | Y | |
| ATTACHED | | | | | | |
| MULTIPLE BUILDINGS / LOT | | | | | | |
| ZONING REQUIREMENTS | | | | | | |
| MINIMUM LOT WIDTH (FT.) | 75 | 65 | 50 | 50 | 35 | |
| MINIMUM LOT AREA (SQ. FT.) | 10,000 | 7,800 | 5,000 | 5,000 | 3,150 | |
| MINIMUM OPEN AREA (%) OF LOT | 65 | 65 | 70 | 70 | 60 | |
| SET-BACK LINE / FRONT YARD MINIMUM DEPTH (FT.) | 35 | 35 | 25 | 25 | 15 | |
| SIDE YARD MINIMUM WIDTH: | | | | 1 1 | | |
| Detached single family dwelling (ft.) ⁷² | 2 @ 15 | 2@10 | 2 at 25 total, each not <10 | 2 at 25 total, each not <10 | 2 @ 8 | |
| Detached single family dwelling – corner lot (ft.) ⁷³ | 15 | 10 | 7 | 7 | 6 | |
| Semi-detached single family dwelling (ft.) | | | | 25 | 16 | |
| Attached single family dwelling (ft.) | | | | | | |
| Detached duplex dwelling (ft.) | | | | | | |
| Detached duplex dwelling – corner lot (ft.) | | | | | | |
| Semi-detached duplex dwelling (ft.) | | | | | | |
| Attached duplex dwelling (ft.) | | | | | | |
| Multiple dwelling (ft.) | | | | | | |
| Building other than dwellings (ft.) | | | 2 @ 15 | 2 @ 15 | 2 @ 10 | |
| Building other than dwelling, corner lot (ft.) | | | 15 | 15 | 10 | |
| REAR YARD MINIMUM DEPTH (FT.) | 30 | 30 | 25 | 25 | 20 | |
| REAR YARD MINIMUM AREA (SQ. FT.) | | | | | | |
| BUILDING HEIGHT LIMIT – DWELLING (FT.) | 35 | 35 | 35 | 35 | 35 | |
| BUILDING HEIGHT LIMIT – NON-DWELLING (FT.) | 35 | 35 | 35 | 35 + add'l height ¹ | 35 + add'l height 1 | |
| MAXIMUM NO. OF STORIES – DWELLING | 3 | 3 | 3 | 3 | 3 | |
| OFF-STREET PARKING | See Chapter 14-1400 of this Title. | | | | | |

⁷¹ Added, Bill No. 030483 (approved November 13, 2003); amended, Bill No. 040666 (became law October 14, 2004); amended, Bill No. 050230-A (approved June 29, 2005). Enrolled bill did not include a caption for this Section; caption added by Code editor.

⁷² Amended, Bill No. 040521 (approved July 1, 2004).

⁷³ Amended, Bill No. 040521 (approved July 1, 2004).

| DISTRICT | R-5 | R-5A | R-6 | R- 7 | R-8 | |
|--|--------------------------------------|-----------------------------------|--|--|----------------------------------|--|
| PERMITTED USES | | | | | | |
| SINGLE FAMILY | Y | Y | Y | Y | Y | |
| DUPLEX / TWO FAMILY | | Y | | Y | Y | |
| MULTI-FAMILY | | | | | | |
| RESIDENTIAL RELATED USES | Y | Y | Y | Y | Y | |
| NON-RESIDENTIAL USES | Y | Y | Y | Y | Y | |
| OTHER PERMITTED USES | | | | | | |
| PERMITTED BUILDING TYPE | | | | | | |
| DETACHED | Y | Y | Y | Y | Y | |
| SEMI-DETACHED | Y | Y | Y | Y | Y | |
| ATTACHED | | | Y 6 | Y ³ | Y | |
| MULTIPLE BUILDINGS / LOT | | | | | | |
| ZONING REQUIREMENTS | | | | | | |
| MINIMUM LOT WIDTH (FT.) | 25 ⁵ | 25 | 18; 30 end of group ⁶ | 18; 30 end of group | 16 | |
| MINIMUM LOT AREA (SQ. FT.) | 2,250 5 | 2,250 | 1,620; 2,700 end of group | 1,620; 2,700 end of group | 1,440 | |
| MINIMUM OPEN AREA (%) OF LOT | 50 | 50 | 50 | 50 | 50 | |
| SET-BACK LINE / FRONT YARD MINIMUM DEPTH (FT.) | 8 | 8 | 15 | 15 | 15 | |
| SIDE YARD MINIMUM WIDTH: | | | | | | |
| Detached single family dwelling (ft.) | 2 @ 8 | 2 @ 8 | 2 @ 8 | 2 @ 8 | 2@8 | |
| Detached single family dwelling – corner lot (ft.) | 8 | 8 | 6 | 6 | 6 | |
| Semi-detached single family dwelling (ft.) | 8 5 | 8 | 8 | 8 | 8 | |
| Attached single family dwelling (ft.) | | | end unit: minimum avg of 12, not < 8 at any point | end unit: minimum avg of 12, not < 8 at any point | 0; 8 if use | |
| Detached duplex dwelling (ft.) | | 2 @ 8 | | 2 @ 8 | 2 @ 8 | |
| Detached duplex dwelling – corner lot (ft.) | | 8 | | 6 | 6 | |
| Semi-detached duplex dwelling (ft.) | | 8 | | 8 | 8 | |
| Attached duplex dwelling (ft.) | | | | end unit: minimum avg of 12, not < 8 at any point | 0; 8 if use | |
| Multiple dwelling (ft.) | | | | | | |
| Building other than dwellings (ft.) | 2 @ 8 | 2 @ 8 | 2 @ 8 | 2 @ 8 | 2@8 | |
| Building other than dwelling, corner lot (ft.) | 8 | 8 | 6 | 8 | 8 | |
| REAR YARD MINIMUM DEPTH (FT.) | sf dwelling: 15; other: 20 | sf dwelling: 15; other: 20 | 20 | sf dwelling: 20; other: 25 | 15 | |
| REAR YARD MINIMUM AREA (SQ. FT.) | | | | | | |
| BUILDING HEIGHT LIMIT – DWELLING (FT.) | 35 | 35 | 35 | 35 | 35 | |
| BUILDING HEIGHT LIMIT – NON-DWELLING (FT.) | 35 + add'l height ¹ | 35 + add'l height ¹ | 35 + add'l height ¹ | 35 + add'l height ¹ | 35 + add' height ¹ | |
| MAXIMUM NO. OF STORIES – DWELLING | 3 | 3 | 3 | 3 | 3 | |
| OFF-STREET PARKING | G See Chapter 14-1400 of this Title. | | | | | |

| Denotes use not permitted, building type not permitted or zoning requirements not applicable | | | | | | |
|--|---|-----------------------------------|---|-------------------------|---|--|
| DISTRICT | R-9 | R-9A | R-10 | R-10A | R-10B | |
| PERMITTED USES | | | I IV | IC IOII | IX 10D | |
| SINGLE FAMILY | Y | Y | Y | Y | Y | |
| DUPLEX / TWO FAMILY | Y | | Y | | Y | |
| MULTI-FAMILY | Y | | Y | | | |
| RESIDENTIAL RELATED USES | Y | Y | Y | Y | | |
| NON-RESIDENTIAL USES | Y | Y | Y | Y | | |
| OTHER PERMITTED USES | | | | | Y | |
| PERMITTED BUILDING TYPE | | | | | | |
| DETACHED | Y | Y | Y | Y | Y | |
| SEMI-DETACHED | Y | Y | Y | Y | Y | |
| ATTACHED | Y | Y | Y | Y | Y | |
| MULTIPLE BUILDINGS / LOT | | | | | Y | |
| ZONING REQUIREMENTS | | | | | | |
| MINIMUM LOT WIDTH (FT.) | 16 | 16 | 16 | 16 | 16 | |
| MINIMUM LOT AREA (SQ. FT.) | 1,440 | 1,440 | 1,440 | 1,440 | 1,440 | |
| MINIMUM OPEN AREA (%) OF LOT | 30; 20 on corner lot | 30; 20 on corner lot | 30; 20 on corner lot | 30; 20 on corner lot | 1 sty bldg: 20 2 or more stories: 1st floor 0, above 1st floor 20 and see §14-206(1)&(2) | |
| SET-BACK LINE / FRONT YARD MINIMUM DEPTH (FT.) | 8 | 8 | | | | |
| SIDE YARD MINIMUM WIDTH: | | - | | | | |
| Detached single family dwelling (ft.) | 2 @ 5 | 2 @ 5 | 2 @ 5 | 2 @ 5 | 2 @ 5 | |
| Detached single family dwelling – corner lot (ft.) | 5 | 5 | 5 | 5 | 5 | |
| Semi-detached single family dwelling (ft.) | 5 | 5 | 5 | 5 | 5 | |
| Attached single family dwelling (ft.) | 0; 5 if used | 0; 5 if used | 0; 5 if used | 0; 5 if used | 0; 5 if used | |
| Detached duplex dwelling (ft.) | 2 @ 5 | | 2 @ 5 | | 2 @ 5 | |
| Detached duplex dwelling – corner lot (ft.) | 5 | | 5 | | 5 | |
| Semi-detached duplex dwelling (ft.) | 5 | | 5 | | 5 | |
| Attached duplex dwelling (ft.) | 0; 5 if used | | 0; 5 if used | | 0; 5 if used | |
| Multiple dwelling (ft.) | 0; 8 if used | | 0; 8 if used | | | |
| Building other than dwellings (ft.) | 2 @ 8 | 2 @ 8 | 2 @ 8 | 2 @ 8 | | |
| Building other than dwelling, corner lot (ft.) | 8 | 8 | 8 | 8 | | |
| REAR YARD MINIMUM DEPTH (FT.) | 9 | 9 | 9 | 9 | 0; 5 if used | |
| REAR YARD MINIMUM AREA (SQ. FT.) | 144 for the 1st family + 100 per add'l family | 144 | 144 for the 1st family + 100 per add'l family | 144 | | |
| BUILDING HEIGHT LIMIT – DWELLING (FT.) | 35 | 35 | 35 | 35 | 50 | |
| BUILDING HEIGHT LIMIT – NON-DWELLING (FT.) | 35 + add'l height ¹ | 35 + add'l height ¹ | 35 + add'l height ¹ | 35 + add'l height 1 | | |
| MAXIMUM NO. OF STORIES – DWELLING | 3 | 3 | 3 | 3 | 5 | |
| OFF-STREET PARKING | | See Chapter 14-1 | 400 of this Title. | | 1 space per unit ⁴ | |

| Denotes use not permitted, building type not permitted. | Denotes use not permitted, building type not permitted or zoning requirements not applicable | | | | | | |
|---|--|----------------------------|----------------------------|----------------------------|------------------------------|--|--|
| DISTRICT | R-11 | R-11A | R-12 | R-13 | R-14 | | |
| PERMITTED USES | | | | | | | |
| SINGLE FAMILY | Y | Y | Y | Y | Y | | |
| DUPLEX / TWO FAMILY / MULTI-FAMILY | Y | Y | Y | Y | Y | | |
| RESIDENTIAL RELATED USES | | | | | Y | | |
| NON-RESIDENTIAL USES | | | | | Y | | |
| OTHER PERMITTED USES | Y | Y | Y | Y | | | |
| HOTEL | | | | | | | |
| COMMERCIAL / OFFICES / SIGNS | | | | | | | |
| PERMITTED BUILDING TYPE | | | | | | | |
| DETACHED / SEMI-DETACHED | Y | Y | Y | Y | Y | | |
| ATTACHED MULTIPLE BUILDINGS / LOT | Y | Y Y | Y Y | Y Y | | | |
| ZONING REQUIREMENTS | I | 1 | 1 | 1 | | | |
| MINIMUM LOT WIDTH (FT.) | 50 | 50 | 50 | 50 | 50 | | |
| MINIMUM LOT AREA (SQ. FT.) | 15,000 | 15,000 | 15,000 | 15,000 | 10,000 | | |
| GROSS FLOOR AREA | | | | | 150 + AFA as per | | |
| (Maximum permitted) – % of area of the lot | 30 | 50 | 70 | 150 | § 14-208(3) | | |
| MINIMUM OPEN AREA OF LOT (%) | | | | 50 | 50 | | |
| SET-BACK LINE / FRONT YARD MINIMUM DEPTH (FT.) | | | | | 20 and see § 14-208(1) | | |
| SPACING / DISTANCE FROM LOT LINES TO STRUCTURES | See § 14-207(1) and (2) | See § 14-207(1) and (2) | See § 14-207(1) and (2) | See § 14-207(1) and (2) | | | |
| SIDE YARD MINIMUM WIDTH: | | | | | | | |
| Detached single family dwelling (ft.) | | | | | 2 @ 8 and see § 14-208(1) | | |
| Detached single family dwelling corner lot (ft.) | | | | | 6 and see § 14-208(1) | | |
| Detached duplex dwelling (ft.) | | | | | 2 @ 8 and see § 14-208(1) | | |
| Detached duplex dwelling corner lot (ft.) | | | | | 8 and see § 14-208(1) | | |
| Detached multiple dwelling (ft.) | | | | | 2 @ 8 and see § 14-208(1) | | |
| Detached multiple dwelling – corner lot (ft.) | | | | | 8 and see § 14-208(1) | | |
| Semi-detached single family dwelling (ft.) | | | | | 10 and see § 14-208(1) | | |
| Semi-detached duplex (ft.) | | | | | 10 and see § 14-208(1) | | |
| Semi-detached multiple dwelling (ft.) | | | | | 16 and see § 14-208(1) | | |
| Attached dwellings – end of group (ft.) | | | | | 2 @ 8 and see | | |
| Building other than dwelling (ft.) | | | | | 2 @ 8 and see § 14-208(1) | | |
| Building other than dwelling – corner lot (ft.) | | | | | 8 and see § 14-208(1) | | |
| REAR YARD MINIMUM DEPTH (FT.) | | | | | 20 | | |
| COURTS | See § 14-207(3) | See § 14-207(3) | See § 14-207(3) | See § 14-207(3) | See § 14-208(2) | | |
| BUILDING HEIGHT LIMIT (FT.) | No limit | No limit | No limit | No limit | No limit | | |
| MAXIMUM NUMBER OF STORIES – DWELLING | No limit | No limit | No limit | No limit | No limit | | |
| OFF-STREET PARKING | | See Ch | apter 14-1400 of th | is Title. | | | |
| OFF-STREET LOADING – COMM. USE / HOTEL | | | | | | | |

| Denotes use not permitted, building type not | Denotes use not permitted, building type not permitted or zoning requirements not applicable | | | | | | |
|---|--|--|--|--|--|--|--|
| DISTRICT | R-15 | R-16 | R-18 | R-19 | R-20 | | |
| PERMITTED USES | | | | | | | |
| SINGLE FAMILY | Y | Y | Y | Y | Y | | |
| DUPLEX / TWO FAMILY / MULTI-FAMILY | Y | Y | Y, see § 14-209(3) | Y, see § 14-209(3) | | | |
| RESIDENTIAL RELATED USES | | Y | Y | Y | Y | | |
| NON-RESIDENTIAL USES | Y | Y | Y | Y | Y | | |
| OTHER PERMITTED USES | Y | | | | | | |
| HOTEL | | Y | | | | | |
| COMMERCIAL/OFFICES/SIGNS PERMITTED BUILDING TYPE | | | | | | | |
| DETACHED / SEMI-DETACHED | Y | Y | Y | Y | Y | | |
| ATTACHED | Y | Y | Y ³ | Y | Y | | |
| MULTIPLE BUILDINGS / LOT | | Y | | | Y | | |
| ZONING REQUIREMENTS | | | | | | | |
| MINIMUM LOT WIDTH (FT.) | 50 | | See § 14-209(1)(a) | See § 14-209(1)(b) | 12 | | |
| MINIMUM LOT AREA (SQ. FT.) | 5,000 | | See § 14-209(1)(a) | See § 14-209(1)(b) | gfa "divided by" far | | |
| GROSS FLOOR AREA (Maximum permitted) – % of area of the lot | 350 + AFA as per § 14-208 (3) | 500 + AFA as per Ch. 14-1300 | | bldgs other than sfd or dup: 150 | 1 sty: 80; 2 sty: 133; 3 sty: 177 | | |
| MINIMUM OPEN AREA OF LOT (%) | 30; corner lots: 20 | bldg 6 sty or more: 0 bldgs 5 sty or less: int. lots: 20; corner lots: 10 | sfd: 50; duplex: 60; other: 65 | 50 | 25% of the total gfa permitted and see § 14-210(1) | | |
| SET-BACK LINE / FRONT YARD MINIMUM DEPTH (FT.) | See § 14-208 (1) | See § 14-208 (1) | 15 | 15 | 0, but see § 14-210(2) | | |
| SPACING / DISTANCE FROM LOT LINES TO STRUCTURES | | | | | | | |
| SIDE YARD MINIMUM WIDTH: | | | | | | | |
| Detached single family dwelling (ft.) | 2 @ 5 and see § 14-208(1) | See § 14-208(1) | 2 @ 8 | 2 @ 5 | 2 @ 5, but see § 14-210(2) | | |
| Detached single family dwelling corner lot (ft.) | 5 and see § 14-208(1) | See § 14-208(1) | 6 | 5 | 5, but see § 14-210(2) | | |
| Detached duplex dwelling (ft.) | 2 @ 5 and see § 14-208(1) | See § 14-208(1) | 2 @ 8 | 2 @ 5 | | | |
| Detached duplex dwelling corner lot (ft.) | 5 and see § 14-208(1) | See § 14-208(1) | 6 | 5 | | | |
| Detached multiple dwelling (ft.) | 2 @ 5 and see § 14-208(1) | See § 14-208(1) | 2 @ 12 | 2 @ 8 | | | |
| Detached multiple dwelling – corner lot (ft.) | 5 and see § 14-208(1) | See § 14-208(1) | 8 | 8 | | | |
| Semi-detached single family dwelling (ft.) | 5 and see § 14-208(1) | See § 14-208(1) | 8 | 5 | 5, but see § 14-210(2) | | |
| Semi-detached duplex (ft.) | 5 and see § 14-208(1) | See § 14-208(1) | 8 | 5 | | | |
| Semi-detached multiple dwelling (ft.) | 5 and see § 14-208(1) | See § 14-208(1) | 12 | 8 | | | |
| Attached dwellings – end of group (ft.) | 5 if used and see § 14-208(1) | See § 14-208(1) | Minimum avg of 12, not < 8 at any point | sfd & dup: 5; others: 8 | 5, but see § 14-210(2) | | |
| Building other than dwelling (ft.) | 5 if used and see § 14-208(1) | See § 14-208(1) | 2 @ 12 | 0; 8 if used | 5, but see § 14-210(2) | | |
| Building other than dwelling – corner lot (ft.) | 5 if used and see § 14-208(1) | See § 14-208(1) | 12 | 8 | 5, but see § 14-210(2) | | |
| REAR YARD MINIMUM DEPTH (FT.) | 15 if used and see § 14-208(1) | See § 14-208(1) | sfd & dup: 20; others: 25 | sfd & dup: 20; others: 30 | 5, but see § 14-210(2) | | |
| COURTS | See § 14-208(2) | See § 14-208(2) | See § 14-209(2) | See § 14-209(2) | See § 14-210(2) | | |
| BUILDING HEIGHT LIMIT (FT.) | No limit | No limit | 35 + add'l height 1 | sfd & dup: 35; multiple dwel.: 50; others: 35 + add'l height ¹ | 35 + add'l height 1 | | |
| MAXIMUM NUMBER OF STORIES – DWELLING | No limit | No limit | 3 | sfd & dup: 3; multiple dwel.: 5 | 3 | | |
| OFF-STREET PARKING | | | | | | | |
| OFF-STREET LOADING – COMM. USE / HOTEL | | See § 14-1405(1) | | | | | |

1

ZONING AND PLANNING

| DISTRICT | RC-1 | RC-2 | RC-3 | RC-4* | RC-6* |
|---|-----------------------|---------------------------------|---|---|-----------------------------|
| PERMITTED USES | | | | | |
| SINGLE FAMILY | Y | Y | Y | Y | Y |
| DUPLEX / TWO FAMILY / MULTI-FAMILY | Y | Y | Y | Y | Y |
| RESIDENTIAL RELATED USES | | Y | Y | Y | |
| NON-RESIDENTIAL USES | | Y | Y | Y | |
| OTHER PERMITTED USES | | | | | |
| HOTEL | Y | Y | Y | Y | |
| COMMERCIAL / OFFICES / SIGNS | Y, see § 14-211(1) | Y, see § 14-212(1) | Y, see § 14-213(1) | Y, see § 14-214(2) and (3) | Y* |
| PERMITTED BUILDING TYPE | | | | | |
| DETACHED / SEMI-DETACHED | Y | Y | Y | Y | Y |
| ATTACHED | Y | | Y | Y | Y |
| MULTIPLE BUILDINGS/LOT | Y | | Y | Y | Y |
| ZONING REQUIREMENTS | | | | | - |
| MINIMUM LOT WIDTH (FT.) | | 50 | | | 0; 50 street frontage |
| MINIMUM LOT AREA (SQ. FT.) | 15,000 | 10,000 | | | |
| | | | | | |
| GROSS FLOOR AREA (Maximum permitted) $-$ % of area of the lot | 135 | 150 + AFA as per § 14-212(3) | 350 + AFA as per Ch. 14-1300 | 500 and see § 14-214(9) (10) and (11) | 150, exclusive o streets |
| MINIMUM OPEN AREA OF LOT (%) | 20 | 50 | bldgs 5 sty or less: 20 on int. lots; 10 on corner lots | dwellings 5 sty or less: 10; others see § 14-214(4) | See §14-215 (4)(d) |
| SET-BACK LINE / FRONT YARD MINIMUM DEPTH (FT.) | | 20 | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| SPACING / DISTANCE FROM LOT LINES TO STRUCTURES | See § 14-211(2) | See § 14-212(2) | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| SIDE YARD MINIMUM WIDTH: | | 1 | 1 | | |
| Detached single family dwelling (ft.) | See § 14-211(2) | 2 @ 8 | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| Detached single family dwelling corner lot (ft.) | See § 14-211(2) | 6 | See § 14-213(2) | See § 14-214(4) (5) and (6) See § 14-214(4) | |
| Detached duplex dwelling (ft.) | See § 14-211(2) | 2 @ 8 | See § 14-213(2) | (5) and (6) | |
| Detached duplex dwelling corner lot (ft.) | See § 14-211(2) | 6 | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| Detached multiple dwelling (ft.) | See § 14-211(2) | 2 @ 8 | See § 14-213(2) | See §14-214 | |
| Detached multiple dwelling – corner lot (ft.) | See § 14-211(2) | 8 | See § 14-213(2) | See § 14-214(4) | |
| Semi-detached single family dwelling (ft.) | See § 14-211(2) | 10 | See § 14-213(2) | (5) and (6) See § 14-214(4) (5) and (6) | |
| Semi-detached duplex (ft.) | See § 14-211(2) | 10 | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| Semi-detached multiple dwelling (ft.) | See § 14-211(2) | 16 | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| Attached dwellings - end of group (ft.) | See § 14-211(2) | | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| Building other than dwelling (ft.) | See § 14-211(2) | 2 @ 8 | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| Building other than dwelling – corner lot (ft.) | See § 14-211(2) | 8 | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| REAR YARD MINIMUM DEPTH (FT.) | See § 14-211(2) | 20 | See § 14-213(2) | See § 14-214(4) (5) and (6) | |
| | See § 14-211(2) | See § 14-212(2) | See § 14-213(2) | See § 14-214(4) | |
| BUILDING HEIGHT LIMIT (FT.) | No limit | No limit | No limit | See § 14-214(7) | No limit |
| MAXIMUM NUMBER OF STORIES – DWELLING | No limit | No limit | No limit | No limit | No limit |
| OFF-STREET PARKING | See § 14-211(3) | See §14-212 (4) | See § 14-213(3) | See § 14-214(13) | See § 14-215(5 |

Denotes use not permitted, building type not permitted or zoning requirements not applicable

* For additional provisions not covered in this chart see § 14-214 for "RC-4" and § 14-215 for "RC-6".